

## **AMENDMENTS TO THE CLAIMS**

Please amend the claims as indicated.

1. (Currently amended) An apparatus for demarking a control object of a notebook computer, the apparatus comprising:  
a compound applied to a control object to form a designator upon the control object, the compound configured to react to visible and non-visible light by radiating visible light and wherein the designator distinctly identifies the control object; and  
a non-visible light source mounted on a display of the notebook computer, directed to the control object from above, and configured to directly radiate the compound so that the compound radiates visible light in the form of the designator and the visible light is of low intensity so as not to distract a user and nearby people.
2. (Original) The apparatus of claim 1, wherein the non-visible light source is an ultraviolet light source.
3. (Original) The apparatus of claim 2, wherein the ultraviolet light source is an ultraviolet light emitting diode.
4. (Previously presented) The apparatus of claim 2, wherein the compound comprises an ultraviolet light reactive compound.
5. (Canceled)
6. (Canceled)

7. (Canceled)
8. (Canceled)
9. (Canceled)
10. (Currently amended) A[[n]] notebook computer~~I/O device~~ for use in a low-light environment, the notebook computer~~I/O device~~ comprising:
  - a keyboard comprising a plurality of keys and control surfaces~~control object~~;
  - an ultraviolet light reactive compound applied to the keys and control surfaces~~control object~~ to form a designator upon the keys and control surfaces~~control object~~, wherein the compound reacts to visible and ultraviolet light by radiating visible light and the designator distinctly identifies the keys and control surfaces~~control object~~; and
  - an ultraviolet light source mounted on a display of the notebook computer, directed to the keys and control surfaces of the notebook computer from above, and configured to directly radiate the compound so that the compound radiates visible light in the form of the designator, wherein the visible light is of low intensity so as not to distract a user and nearby people.
11. (Canceled)
12. (Currently amended) The notebook computer~~I/O device~~ of claim 10, wherein the ultraviolet light source is an ultraviolet light emitting diode.

13. (Canceled)
14. (Currently amended) A notebook computer, the notebook computer comprising:  
a plurality of keys;  
a compound applied to each key to form a designator, the compound reactive to visible and non-visible light, wherein the compound reacts to visible and non-visible light by radiating visible light and the designator distinctly identifies the key; and  
a display configured to radiate visible light and non-visible light on the keys from above, wherein the non-visible light reacts with the compound, demarking the keys by radiating visible light of low intensity so as not to distract a user and nearby people.

15. (Currently amended) A system for demarking a control object, the system comprising:  
a[[n]] notebook computer~~I/O device~~ configured with a plurality of  
key~~control object~~;  
a compound applied to the each key~~control object~~ to form a designator  
upon the each key~~control object~~, the compound configured to react to visible and  
non-visible light by radiating visible light and wherein the designator distinctly  
identifies the each key~~control object~~; and  
a non-visible light source mounted on a display of the notebook computer,  
directed to the keys of the notebook computer from above, and configured to  
directly radiate the compound so that the compound radiates visible light in the  
form of the designator, wherein the visible light is of low intensity so as not to  
distract a user and nearby people.
16. (Original) The system of claim 15, wherein the non-visible light source is an  
ultraviolet light source.
17. (Original) The system of claim 16, wherein the ultraviolet light source is an  
ultraviolet light emitting diode.
18. (Previously presented) The system of claim 16, wherein the compound  
comprises an ultraviolet light reactive compound.
19. (Canceled)

20. (Canceled)
21. (Canceled)
22. (Canceled)
23. (Canceled)
24. (Currently amended) A process for demarking keys of a notebook computer ~~control object~~ in a low-light environment, the process comprising:  
applying a compound reactive to visible and non-visible light to the  
key~~control object~~ to form a designator upon the each key~~control object~~, wherein  
the compound reacts to the non-visible light by radiating visible light and the  
designator distinctly identifies each key~~the control object~~; and  
directly radiating the compound with a non-visible light source mounted  
on a display of the notebook computer and directed to the keys from above so that  
the compound radiates visible light in the form of the designator for each key and  
the visible light is of low intensity so as not to distract a user and nearby people.
25. (Canceled)
26. (Original) The process of claim 24, wherein the non-visible light source is an  
ultraviolet light source.

27. (Original) The process of claim 26, wherein the compound is an ultraviolet light reactive compound.
28. (Original) The process of claim 26, wherein the ultraviolet light source is an ultraviolet light emitting diode.
29. (Currently amended) An apparatus for illuminating keys of a notebook computer~~a control object~~, the apparatus comprising:  
means for applying a compound reactive to ~~visible and non-visible~~ light to each key~~a control object~~ to form a designator upon each key~~the control object~~, wherein the compound reacts to the ~~visible and non-visible~~ light by radiating visible light and the designator distinctly identifies each key~~the control object~~; and  
means for directly radiating the compound with a non-visible light source mounted on a display of the notebook computer and directed to the keys from above so that the compound radiates visible light in the form of the designator, wherein the visible light is of low intensity so as not to distract a user and nearby people.
30. (Original) The apparatus of claim 29, wherein the non-visible light source is an ultraviolet light source and the compound is an ultraviolet light reactive compound.
31. (Canceled)
32. (Canceled)

33. (Canceled)

34. (Canceled)

35. (Canceled)